

**Intransit Data Entries for
LOGAIR/Intra-Theater Airlift
Origin and Intermediate Terminals
(DI TK1/TK2)**

Data File Id	<u>Procedure</u>
<u>rp</u>	
1-3	Origin terminal; enter TK1. Intermediate terminal; enter TK2 .
4-a	Leave blank.
9-14	Enter DoDAAC of the consignor.
15-17	Leave blank.
18-20	Enter the GMT code for the date shipment was received at air terminal. (See appendix F, paragraph 11.c.)
21-23	Enter air terminal identified code for air terminal preparing the intransit data. (See appendix F, paragraph 6.)
24-26	Enter code for GMT shipment shipped from the air terminal.
27	Enter applicable mode/method code. (See appendix F, paragraph 9.)
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-49	Leave blank.
50-52	Enter air terminal identifier code for the next air terminal.
53	Enter the transportation priority.
54-57	Leave blank.
72-76	Enter total weight of shipment unit, preceded by blanks if less than five positions.
77-80	Leave blank.

Figure L-1

**Intransit Data Entries for
LOGAIR/Intra-Theater Airlift
Final Terminal (DI TK3)**

Data Field	<u>Procedure</u>
rp	
1-3	Enter TK3 (this format not used for movement by MAC).
4-8	Leave blank.
9-14	Enter DoDAAC of the consignor.
15-17	Enter the three position code for the day of the year the consignee received the shipment. This entry may be made by the air terminal under local agreement with the consignee.
18-20	Enter the GMT code for the date shipment was received at the air terminal. (See appendix F, paragraph 11.c.)
21-23	Enter the air terminal identifier code for the final terminal . (See appendix F, paragraph 6.)
24-26	Enter the GMT code for the date the air terminal forwarded the shipment to the consignee.
27	Enter the applicable mode/method code for movement from the air terminal to the consignee. (See appendix F , paragraph 9.)
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee.
53	Enter the transportation priority.
54-71	Leave blank.
72-76	Enter the total weight of the shipment, preceded by blanks if less than five positions.
77-80	Leave blank.

Figure L-2

**Intransit Data Entries for
GBL Shipments Within CONUS and Overseas
Intra-Theater/Retrograde Shipments (DI TK4)**

Data Field	Procedure
<u>rp</u>	
1-3	Enter TK4 (preparation of this format overseas is mandatory for the Air Force and optional for other Services).
4	Leave blank.
5-8	Enter origin carrier. SCAC , preceded by blanks if less than four positions.
9-14	Enter the DoDAAC of the consignor.
15-17	Enter the three position day-of-the-year code for the date shipment received by the consignee.
18-26	Leave blank.
27	Enter the mode/method code for movement from consignor. (See appendix F, paragraph 11.c.)
28	If the ICP and the consignor are not of the same Service/Agency, enter one of the following ICP codes.
	<div style="display: flex; justify-content: space-around;"> A - Army N - Navy F - Air Force </div> <div style="display: flex; justify-content: space-around;"> M - Marine Corps S - DLA </div>
29	Leave blank.
30-46	<p>For Air Force, enter the shipment unit TCN.</p> <p>For non-Air Force shipments:</p> <p>30-35 Enter DoDAAC of the consignor.</p> <p>36 Enter B.</p> <p>37-44 Enter the complete GBL number.</p> <p>45-46 Leave blank.</p>
47-52	<p>Enter the consignee or transshipper as follows:</p> <p>For shipments with the consignee in CONUS, enter the consignee DoDAAC .</p> <p>For shipments to a transshipping point:</p> <p>47-49 Leave blank.</p> <p>50-52 Enter the air terminal or water port identifier code.</p> <p>(See appendix F, paragraphs 6 and 7 respectively.)</p>

Intransit Data Entries for
GBL Shipments Within **CONUS** and Overseas
Intra-Theater/Retrograde Shipments (DI TK4)

Data Field	<u>rp</u>	<u>Procedure</u>
	53	Enter the highest transportation priority shown on the GBL.
	54-59	Leave blank
	60-62	Enter the three position day-of-the-year code for the date the consignor shipped the materiel.
	63-71	Leave blank .
	72-76	Enter the total weight of the shipment, preceded by blanks if less than five positions.
	77-80	Leave blank.

Intransit Data Entries for
GBL Shipments Within CONUS and Overseas
Intra-Theater/Retrograde Shipments (DI TK4)

Data Field	Procedure
<u>rp</u>	
1-3	Enter TK4 (preparation of this format overseas is mandatory for the Air Force and optional for other Services).
4	Leave blank.
5-8	Enter origin carrier SCAC , preceded by blanks if less than four positions.
9-14	Enter the DoDAAC of the consignor.
15-17	Enter the three position day-of-the-year code for the date shipment received by the consignee.
18-26	Leave blank.
27	Enter the mode/method code for movement from consignor. (See appendix F, paragraph 11.c.)
28	If the ICP and the consignor are not of the same Service/Agency , enter one of the following ICP codes. <div style="display: flex; justify-content: space-around; margin-left: 100px;"> <div>A - Army M - Marine Corps</div> <div>N - Navy S - DLA</div> <div>F - Air Force</div> </div>
29	Leave blank.
30-46	For Air Force, enter the shipment unit TCN. For non-Air Force shipments: <div style="margin-left: 40px;"> 30-35 Enter DoDAAC of the consignor. 36 Enter B. 37-44 Enter the complete GBL number. 45-46 Leave blank. </div>
47-52	Enter the consignee or transshipper as follows: For shipments with the consignee in CONUS, enter the consignee DoDAAC . For shipments to a transshipping point: <div style="margin-left: 40px;"> 47-49 Leave blank. 50-52 Enter the air terminal or water port identifier code. (See appendix F, paragraphs 6 and 7 respectively.) </div>

Figure L-3

Intransit Data Entries for
GBL Shipments Within CONUS and Overseas
Intra-Theater/Retrograde Shipments (DI TK4)

Data Field	<u>rp</u>	<u>Procedure</u>
	53	Enter the highest transportation priority shown on the GBL.
	54-59	Leave blank
	60-62	Enter the three position day-of-the-year code for the date the consignor shipped the materiel.
	63-71	Leave blank.
	72-76	Enter the total weight of the shipment, preceded by blanks if less than five positions.
	77-80	Leave blank.

Figure L-3 (cont.)

Intransit Data Entries For
QUICKTRANS Shipments (DI TK4)

Data Field <u>rp</u>	<u>Procedure</u>
1-3	Enter TK4.
4-8	Leave blank.
9-14	Enter the DoDAAC of the consignor.
15-17	Enter the three position day-of-the-year code the shipment was received by the consignee.
18-26	Leave blank.
27	Enter U.
28	If the ICP and the consignor are not of the same Service/Agency, enter one of the following ICP codes.
	<div style="display: flex; justify-content: space-around;"> A - Army N - Navy F - Air Force </div> <div style="display: flex; justify-content: space-around;"> M - Marine Corps S - DLA </div>
29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee.
53	Enter the transportation priority.
54-59	Leave blank.
60-62	Enter the three position day-of-the-year code the consignor shipped the materiel.
63-71	Leave blank.
72-76	Enter the total weight of the shipment, preceded by blanks if less than five positions.
77-80	Leave blank.

Figure L-4

Intransit Data Entries for
MAC APOD Receipt and Lift (DI **TK6**)

Data Field	<u>rp</u>	<u>Procedure</u>
	1-3	Enter TK6.
	4-14	Leave blank.
	15-17	Enter three position day-of-the-year code the shipment was received by the consignee. This entry may be made by the APOD under local agreement with the consignee.
	18-20	Enter the GMT code for the date shipment was received at the APOD. (See appendix F, paragraph 11.c.)
	21-23	Enter the air terminal identifier code for the APOD. (See appendix F, paragraph 6.)
	24-26	Enter the GMT code for the date the APOD forwarded, or offered for forwarding, the shipment to the consignee.
	27	Enter the mode/method code by which the APOD forwarded the shipment to the consignee. (See appendix F, paragraph 9.)
	28-29	Leave blank.
	30-46	Enter the shipment unit TCN.
	47-80	Leave blank.

Figure L-5

Intransit Data Entries for
MAC/WCA POE Receipt and Lift (DI TK7)

Data Field	<u>Procedure</u>
<u>rp</u>	
1-3	Enter TK7.
4-8	Enter the flight number or voyage number, preceded by blanks if less than five positions.
9-14	Enter the DoDAAC of the consignor.
15-17	Leave blank except for air shipments; the CDCP will enter the date received by the consignee from TK6 data.
18-20	Enter the date the shipment was received or offered for delivery, whichever is earliest, at the POE. For air shipments, enter the GMT code. For water shipments, enter the day-of-the-year code. (See appendix F, paragraphs 11.b. and 11.c.)
21-23	Enter the air <i>or</i> water port identifier code for the POE. (See appendix F, paragraphs 6. and 7.)
24-26	Enter the date shipment forwarded by the POE. For air shipments, enter the GMT code. For water shipments, enter the day-of-the-year code.
27	Enter ModelMethod Code F for air shipments and V or Z for water.
28-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee, except for Air Force sponsored cargo; enter the following: 47-49 Leave blank. 50-52 Enter the air terminal identifier code for the next air terminal.
53	Enter the transportation priority,
54-62	Leave blank.

Figure L-6

**Intransit Data Entries for
MAC/WCA POE Receipt and Lift (DI TK7)**

Data Field	<u>Procedure</u>
rp	
63-65	Enter the date shipment received at the POD. For air shipments, leave blank . The GMT code for date of receipt at the APOD is entered by the CDCP from TK6 data. For water shipments. enter the day-of-the-year code for the date the vessel was completely unloaded.
66-68	Enter the air or water terminal identifier code for the POD. (See appendix F , paragraphs 6. and 7.)
69-71	For air shipments, the GMT code for the date the shipment is forwarded to the consignee is entered by the CDCP .
72-76	Enter the total weight of the shipment unit, preceded by blanks if less than five positions. .
77-80	Leave blank .

Figure L-6 {cont.}

Intransit Data Entries for
Air Force Consignees (DI **TK8**)

Data Field <u>rp</u>	<u>Procedure</u>
1-3	Enter TK8 .
4-14	Leave blank.
15-17	Enter the day-of-the-year code for the date the shipment was received by the consignee .
18-29	Leave blank.
30-46	Enter the shipment unit TCN.
47-52	Enter the DoDAAC of the consignee.
53-80	Leave blank.

Figure L-7